

Management of the fractured maxillary tuberosity: An alternative method

Abstract

The maxillary tuberosity can fracture during extraction of a molar tooth. If a small bony fragment is affected, the extraction of the tooth and tuberosity continues; however, a conservative approach is advised if the bony fragment is large. In a modified blind surgical technique, the tooth is removed without the fractured bone.

Authors:	Ngeow, W. C.
Journal:	Quintessence International
Year:	1998
Pages:	189-190

Keywords :

bony fragment; conservative treatment; maxillary tuberosity; tooth extraction

Please cite as :

NGEOW, W. C. 1998. **Management of the fractured maxillary tuberosity: An alternative method.** *Quintessence International*, 29, 189-190.

URL :

- <http://apps.webofknowledge.com/InboundService.do?SID=R1Jo751fbF7oDo6k8mA&product=WOS&UT=000072643400007&SrcApp=CR&DestFail=http%3A%2F%2Fwww.webofknowledge.com&Init=Yes&action=retrieve&Func=Frame&customersID=RID&SrcAuth=RID&IsProductCode=Yes&mode=FullRecord>
- <http://www.ncbi.nlm.nih.gov/pubmed/9643254>
- http://www.unboundmedicine.com/pedscentral/ub/citation/9643254/Management_of_the_fractured_maxillary_tuberosity:_an_alternative_method
- <http://lib.bioinfo.pl/pmid:9643254>
- http://www.researchgate.net/publication/13641975_Management_of_the_fractured_maxillary_tuberosity_an_alternative_method
- http://serials.cib.unibo.it/cgi-ser/start/it/spogli/dfs.tcl?prog_art=5270940&language=ITALIANO&view=articoli
- <http://www.mendeley.com/research/management-fractured-maxillary-tuberosity-alternative-method/>
- <http://ukpmc.ac.uk/abstract/MED/9643254>
- <http://journals.indexcopernicus.com/abstracted.php?icid=731193>